

LIST OF PUBLICATIONS BY HANNU UUSITALO

A Articles in refereed scientific journals

1. Tallberg Th., Aschan G., Uusitalo H., Mahlberg K., Widholm O. and Sarna S. Improved lymphocyte ectoenzyme function during normal pregnancy. *Ann. Immunol. (Inst. Pasteur)*, 130 C, 33-38, 1979
2. Tallberg Th., Tykkä H., Halttunen P., Mahlberg K., Uusitalo R., Uusitalo H., Carlsson O., Sandstedt B., Oravisto K.J., Lehtonen T., Sarna S. and Sandström H. Cancer Immunity. The effect in cancer - immunotherapy of polymerised autologous tumour tissue and supportive measures. *Scand. J. clin. Lab. Invest.* 39, Suppl. 151, 1979
3. Uusitalo H., Lehtosalo J., Laakso J., Härkönen M. and Palkama A. Immunohistochemical and biochemical evidence for 5-hydroxytryptamine containing nerves in the anterior part of the eye. *Exp. Eye Res.* 35, 671-675, 1982
4. Uusitalo R.J., Uusitalo H. and Palkama A. Ecto-5'-nucleotidase activity in lymphocytes in cases of uveitis. *Acta Ophthalmol.* 61, 362-372, 1983
5. Lehtosalo J., Uusitalo H., Uusitalo H., Poranen A. and Palkama A. Electron microscopic identification of trigeminal nerve fibres in the ciliary body and the iris. *Neurosci. Lett.* 42, 239-242, 1983
6. Szumanska G., Palkama A., Lehtosalo J.I. and Uusitalo H. Adenylate cyclase in the microvessels of the rat brain. A histochemical study with light and electron microscopy. *Acta Neuropath.* 62, 219-224, 1984
7. Virtanen J., Uusitalo H., Palkama A. and Kaufman H. The effect of fixation on corneal endothelial cell dimensions and morphology in scanning electron microscopy. *Acta Ophthalmol.* 62, 577-585, 1984
8. Uusitalo H., Uusitalo R. and Palkama A. Decreased ecto-5'-nucleotidase activity in rabbit lymphocytes during experimental lens-induced uveitis. *Current Eye Res.* 3, 407-415, 1984
9. Uusitalo H. The effect of autonomic receptor blockers on the ocular response to topical chemical irritation. *Acta Phys. Scand.* 121, 1-8, 1984
10. Uusitalo H. An experimental uveitis induced by bovine serum albumin. A transmission and scanning electron microscopic study. *Acta Ophthalmol.* 62, 413-424, 1984
11. Uusitalo H. An acute ocular inflammatory reaction induced by intravitreal bovine serum albumin in presensitized rabbits: the effects of phentolamine. *Acta Ophthalmol.* 62, 636-642, 1984

12. Uusitalo H. Morphological and physiological alterations in the eye during experimental and clinical uveitis. Thesis 15.6.1984
13. Lehtosalo J.I., Uusitalo H, and Palkama A. Sensory supply of the anterior uvea. A light and electron microscope study. *Exp. Brain Res.* 55, 562-569, 1984
14. Lehtosalo J.I., Uusitalo H, Stjernschantz J. and Palkama A. Substance P-like immunoreactivity in the trigeminal ganglion. A fluorescence, light and electron microscope study. *Histochemistry* 80, 421-427, 1984
15. Uusitalo H., Lehtosalo J., Palkama A. and Toivonen M. Vasoactive intestinal polypeptide (VIP) like immunoreactivity in the human and guinea pig choroid. *Exp. Eye Res.* 38, 435-437, 1984
16. Ilmonen M., Lehtosalo J.I, Virtanen J., Uusitalo H. and Palkama A.. Initial healing of the posterior corneal surface following perforating trauma in guinea pigs: A scanning electron microscope study. *Acta Ophthalmol.* 62, 787-795, 1984
17. Lehtosalo J.I., Uusitalo H., Laakso J., Palkama A. and Härkönen M. Biochemical and immunohistochemical determination of 5-hydroxytryptamine located in mast cells in the trigeminal ganglion of the rat and guinea pig. *Histochemistry* 80, 219-223, 1984
18. Nikkinen A., Lehtosalo J.I., Uusitalo H., Palkama A. and Panula P. The lacrimal glands of the rat and the guinea pig are innervated by nerve fibers containing immunoreactivities for substance P and vasoactive intestinal polypeptide. *Histochemistry* 81, 23-27, 1984
19. Uusitalo R.J., Stjernschantz J., Mahlberg K., Gregerson D.S., Uusitalo H., Tallberg Th. and Palkama A. Antibodies to retinal S-antigen in children with chronic uveitis. In "Uveitis Update" (Ed. K.M. Saari). Elsevier Sci Publishers B.V., 59-63, 1984
20. Palkama A., Uusitalo H., Rajj K. and Uusitalo R. Comparison of the effects of adrenergic agonists and α , β_1 , β_2 -antagonists on the intraocular pressure and adenylate cyclase activity in the ciliary processes of the rabbit. *Acta Ophthalmol.* 63, 9-15, 1985
21. Uusitalo H., Lehtosalo J., Gregerson D.S. and Palkama A. Ultrastructural localization of retinal S-antigen in the rat. *Graefe's Arch Clin Exp Ophthalmol.* 222, 118-222, 1985
22. Uusitalo R.J., Stjernschantz J., Mahlberg K., Gregerson D.S., Uusitalo H., Tallberg Th. and Palkama A. Serum antibody level to S-antigen in children with chronic uveitis. *Br. J. Ophthalmol.* 69, 212-216, 1985
23. Uusitalo H., Palkama A, Uusitalo R. and Tarkkanen A. Kongenitaalisen glaukooman patogeneesi (Pathogenesis of the congenital glaucoma). *Pediatrinen oftalmologia ("Pediatric Ophthalmology"*, Ed. A. Tarkkanen and R. Uusitalo), pp. 101-104, 1985

24. Uusitalo H., Uusitalo R. and Palkama A. Lasten krooninen uveitti - autoimmuunisairaus (Chronic uveitis in children - an autoimmune disease). *Pediatrinen oftalmologia* ("Pediatric ophthalmology", Ed. A. Tarkkanen and R. Uusitalo), pp. 111-112, 1985
25. Uusitalo R.J., Palkama A. and Uusitalo A. Stimulation of adenylate cyclase of ciliary processes in response to decreased inflow of aqueous humour. *Acta Ophthalmol.* 63, 401-407, 1985
26. Uusitalo H., Lehtosalo J.I. and Palkama A. Vasoactive intestinal polypeptide (VIP)-immunoreactive nerve fibers in the anterior uvea of the guinea pig. *Ophthal. Res.* 17, 235-240, 1985
27. Nikkinen A., Uusitalo H., Lehtosalo J.I. and A. Palkama. Distribution of adrenergic nerves in the lacrimal glands of guinea pig and rat. *Exp. Eye Res.* 40, 751-756, 1985
28. Palkama, A., Uusitalo H. and Lehtosalo J. Innervation of the anterior segment of the eye: With special reference to functional aspects. "Neurohistochemistry: Modern Methods and Applications" (Eds. P. Panula, H. Päiväranta and S. Soinila), in *Neurology and Neurobiology* (Eds. V. Chan-Palay and S.L. Palay), Alan R. Liss, Inc., N.Y. pp. 587-615, 1986
29. Krootila K., Uusitalo H., Lehtosalo J.I. and Palkama A. Effect of topical chemical irritation on the blood-aqueous barrier of the rat eye. *Ophthal Res* 18, 248-252, 1986
30. Palkama A., Kaufman H., Uusitalo R. and Uusitalo H. Histochemistry of adenylate cyclase activity in the anterior segment of the eye. A methodological evaluation with biochemical background. *Exp. Eye Res.* 43, 1043-1056, 1986
31. Mahlberg K., Uusitalo H., Palkama A. and Tallberg Th.. Correlation between histopathological, clinical and biochemical parameters in S-antigen induced experimental autoimmune uveitis in guinea pigs. *Exp. Eye Res.* 45, 157-167, 1987
32. Mahlberg K., Uusitalo H., Uusitalo R., Palkama A. and Tallberg Th. Suppression of experimental autoimmune uveitis in guinea pigs by ethylenediamine tetra-acetic acid, corticosteroids and cyclosporin. *J. Ocular Pharm.* 3, 199-210, 1987
33. Mahlberg K., Uusitalo R., Uusitalo H., Palkama A. and Tallberg Th. Suppression of experimental autoimmune uveitis in guinea-pigs by inhibition of phospholipase A2. *Acta Ophthalmol.* 65, 166-168, suppl. 182, 1987
34. Palkama A., Uusitalo R., Lehtosalo J. and Uusitalo H. Histochemical analysis of wound healing in radial keratotomy. *Acta Ophthalmol.* 65, 51-54, suppl. 182, 1987
35. Krootila K., Uusitalo H., Lehtosalo J.I. and Palkama A. Recovery of the blood-aqueous barrier after topical chemical irritation in the rabbit eye. *Graefe's Arch Clin Exp Ophthalmol.* 225, 272-276, 1987

36. Krootila K., Uusitalo H and Palkama A. Effect of α -adrenergic and serotonergic blockers on the acute irritative response in the rabbit eye. *Exp. Eye Res.* 45, 721-729, 1987
37. Krootila K., Palkama A. and Uusitalo H. Effect of serotonin and its antagonist (ketanserin) on the intraocular pressure in the rabbit. *J. Ocular Pharmacol.* 3: 279-290, 1987
38. Krootila K., Uusitalo H. and Palkama A. Effect of neurogenic irritation and calcitonin gene-related peptide (CGRP) on ocular blood flow in the rabbit. *Curr. Eye Res.* 7: 695-703, 1988
39. Uusitalo H., Krootila K. and Palkama A. Calcitonin gene-related peptide (CGRP) immunoreactive sensory nerves in the human and guinea pig uvea and cornea. *Exp. Eye Res.* 48: 467-475, 1989
40. Lehtosalo J., Eränkö L., Palkama A. and Uusitalo A. Nerve fibers showing immunoreactivities for tyrosine hydroxylase and dopamine-beta-hydroxylase re-appear in the guinea pig uvea after sympathectomy. *Acta Ophthalmol* 66: 419-426, 1988
41. Alaranta S., Uusitalo H., Klinge E., Palkama A. and Sjöstrand N.O.. Histochemical demonstration of nerve cell bodies in the retractor penis muscle and the penile artery of the bull. *Neuroscience* 32: 823-827, 1989
42. Soinila J., Salo A., Uusitalo H., Yanaihara N. and Häppölä O. CGRP-immunoreactive sensory nerve fibers in the submandibular gland of the rat. *Histochemistry* 91: 455-460, 1989
43. Krootila K., Syrjälä M., Lehtosalo J. and Uusitalo H.. Platelets and polymorphonuclear leukocytes in experimental ocular inflammation in the rabbit eye. *Graefe's Arch Clin Exp Ophthalmol* 227:465-469, 1989
44. Lehtosalo J., Uusitalo H., Mahrberg T., Panula P., and Palkama A. Nerve fibers showing immunoreactivities for proenkephalin A-derived peptides in the lacrimal glands of the guinea pig. *Graefe's Arch Clin Exp Ophthalmol* 227:455-458, 1989
45. Mahlberg K., Uusitalo H., Palkama A. and Tallberg Th. The role of phospholipase A₂ in experimental autoimmune uveoretinitis. In Bazan NG: *Lipid Mediators in Eye Inflammation, New Trends in Lipid Mediators Research*, S. Karger A.G., Basel, 1990
46. Uusitalo H., Krootila K. and Mahrberg T.. The role of neurotransmitters in the regulation of lacrimal secretion. *Acta Ophthalmol* 195; 68:17-20,1990
47. Mahlberg K., Uusitalo R., Lehtosalo J.I., Uusitalo H., Tallberg Th. and Tykkä H. The effect of topically applied ethylenediamine tetra-acetic acid (EDTA) and cyclosporine (CsA) on eccentric corneal allograft survival in rabbits. *Acta Ophthalmol* 195; 68: 13-15,1990
48. Krootila K., Palkama A. and Uusitalo H. Neurogenic inflammation in the eye. An experimental study. *Acta Ophthalmol* 195; 68: 9-12,1990

49. Salo A. and Uusitalo H. Calcitonin gene-related peptide (CGRP) in the regulation of salivary secretion. *Proc. Finn Dent Soc* 85: 333-337, 1990
50. Uusitalo R.J., Uusitalo H. and Mahlberg K. Anterior uveitis in children. An analysis of 75 cases with special reference to retinal anti-S antibodies. *Graefe's Arch Clin Exp Ophthalmol* 229:1-7, 1991
51. Krootila K., Uusitalo H. and Palkama A. Intraocular and cardiovascular effects of calcitonin gene-related peptide (CGRP) -I and -II in the rabbit. *Invest Ophthalmol & Vis Sci* 32: 3084-3090, 1991
52. Soinila J., Salo A., Uusitalo H., Soinila S., Yanaihara N. and Häppölä O. Met⁵-Enkephalin-Arg⁶-Gly⁷-Leu⁸-immunoreactive nerve fibers in the major salivary glands of the rat: evidence for both sympathetic and parasympathetic origin. *Cell Tissue Res* 264: 15-22, 1991
53. Luhtala J., Palkama A. and Uusitalo H. Calcitonin gene-related peptide immunoreactive nerve fibers in the rat conjunctiva. *Invest Ophthalmol & Vis Sci* 32:640-645, 1991
54. Virta E., Kangas S., Tolonen R., Schultz T., Salo A. and Uusitalo H.. Neurokinin A in the parotid and submandibular glands of the rat: Immunohistochemical localization and effect on protein and peroxidase secretion. *Acta Physiol Scand* 142: 157-163, 1991
55. Luhtala J. and Uusitalo H. The distribution and origin of substance P immunoreactive nerve fibers in the rat conjunctiva. *Exp Eye Res* 53: 641-646, 1991
56. Alaranta S., Uusitalo H., Hautamäki A.-M. and Klinge E. Calcitonin gene-related peptide: immunohistochemical localization in and effects on the bovine penile artery. *Int J Impotence Res* 3: 49-59, 1991
57. Zschauer A., van Breemen C. and Uusitalo H. Serotonergic responses in rabbit ophthalmic artery: a pharmacological characterization. *Am J Physiol* 261: H1819-1827, 1991
58. Stenbäck H., Krootila K., Palkama A. and Uusitalo H. Mast cells in the anterior uvea of the rabbit. Intraocular effects of compound 48/80 in the rabbit. *Exp Eye Res* 54: 247-252, 1992
59. Krootila K., Oksala O., Zschauer A., Palkama A. and Uusitalo H. Inhibitory effect of methysergide on calcitonin gene-related peptide-induced vasodilatation and ocular irritative changes in the rabbit. *Br J Pharmacol* 106: 404-408, 1992
60. Krootila K., Uusitalo H. and Palkama A. Effect of topical and intracameral methysergide on calcitonin gene-related peptide-induced irritative changes in the rabbit eye. *J Ocul Pharm* 8: 121-127, 1992
61. Zschauer A., Uusitalo H. and Brayden J.E. Characteristics of CGRP-induced relaxation in rabbit ophthalmic artery. *Ann N Y Acad Sci* 657: 507-510, 1992

62. Zschauer A., Uusitalo H. and Brayden J. Role of endothelium and hyperpolarization in CGRP-induced vasodilation of rabbit ophthalmic artery. *Am J Physiol* 263: H359-365, 1992
63. Virta E., Törnwall J. and Uusitalo H. Substance P and neurokinin A immunoreactive nerve fibers in the developing salivary glands of the rat. *Histochemistry* 98: 317-325, 1992
64. Krootila K., Oksala O., vonDickhoff K., Wimalawansa S., MacIntyre I. and Uusitalo H. Ocular irritative response to YAG laser capsulotomy in rabbits: Release of calcitonin gene-related peptide and effects of methysergide. *Curr Eye Res* 11: 307-314, 1992
65. Salo A., Ylikoski J. and Uusitalo H. Distribution of calcitonin gene-related peptide immunoreactive nerve fibers in the human submandibular gland. *Neurosci Lett* 150: 137-140, 1993
66. Salo A., Törnwall J., Virta E. and Uusitalo H. Calcitonin gene-related peptide immunoreactive nerve fibers in the developing salivary glands of the rat. *Int J Devl Neuroscience* 11: 443-449, 1993
67. Virta E. and Uusitalo H. Development of substance P and neurokinin A immunoreactivity in the ganglia supplying nerves to the submandibular gland of the rat. *Histochemistry* 100: 311-318, 1993
68. Törnwall J., Uusitalo H. and Kontinen Y.T.. The distribution and origin of nerve fibers immunoreactive for substance P and neurokinin A in the anterior buccal gland of the rat. *Cell Tissue Res* 277: 309-313, 1994
69. Törnwall J., Uusitalo H., Hukkanen M., Sorsa T. and Kontinen Y.T.. Distribution of vasoactive intestinal peptide (VIP) and its binding sites in labial salivary glands in Sjögren's syndrome and in normal controls. *Clin Exp Rheumat* 12: 287-292, 1994
70. Schultz T., Soinila J., Tolonen R., Häppölä O., Uusitalo H. and Salo A. The sympathetic and parasympathetic nature of neuropeptide Y- immunoreactive nerve fibers in the major salivary glands of the rat. *Histochemical J* 26: 563-570, 1994
71. Salo A., Tuominen K., Krootila K., Törnwall J., Palkama A. and Uusitalo H. Characterization of binding sites and effects of calcitonin gene-related peptide (CGRP) and CGRP(8-37) on regional blood flow in rabbit salivary glands. *Arch oral Biol* 39: 695-700, 1994
72. Szabat E., Salo A., Virtanen I., Uusitalo H. and Soinila S. Production and characterization of a monoclonal antibody against human calcitonin gene-related peptide (CGRP) and its immunohistochemical application to salivary glands. *Histochem J* 26: 317-326, 1994
73. Tuori A., Virtanen I. and Uusitalo H. Lectin binding in the anterior segment of bovine eye. *Histochem J* 26: 787-798, 1994
74. Virta E., Salo A. and Uusitalo H. Substance P (SP) and neurokinin A (NKA) in developing submandibular glands of the rat. *Int. J. Devl Neuroscience* 12: 175-183, 1994

75. Salo A., Virta E. and Uusitalo H. Calcitonin gene-related peptide (CGRP) and its effects on protein release in vitro in the developing submandibular gland of the rat. *Regul Pept* 55: 155-165, 1995
76. Krootila K., Oksala O., von Dickhoff K., Palkama A. and Uusitalo H. Effect of captopril on ocular irritative response to topical neutral formaldehyde and Yag-laser capsulotomy in the rabbit. *J. Ocular Pharmacol* 11: 243-252, 1995
77. Heino P., Oksala O., Luhtala J. and Uusitalo H. Localization of calcitonin gene-related peptide binding sites in the eye of different species. *Curr Eye Res* 15: 783-790, 1995
78. Törnwall J., Konttinen Y.T., Hietanen J., Sorsa T., Hukkanen M. and Uusitalo H. VIP in salivary glands in Sjögren's syndrome. *Br J Rheumatol* 34: 891-893, 1995
79. Tuori A., Uusitalo H., Burgeson R.E., Terttunen J. and Virtanen I. The immunohistochemical composition of the human corneal basement membrane. *Cornea* 15: 286-294, 1996
80. Törnwall J., Konttinen Y.T., and Uusitalo H. Immunohistochemical distribution of calcitonin gene-related peptide in nerve fibers of the anterior buccal gland of the rat *Histochemical J* 28: 1-5, 1996
81. Konttinen Y.T., Törnwall J., Kemppinen P., Uusitalo H., Sorsa T., Hukkanen M. and Polak J.M. Neutral endopeptidase (EC 3.4.24.11) in labial salivary glands in healthy controls and in patients with Sjögren's syndrome. *Ann Rheum Dis* 55: 513-519, 1996
82. Haaga M., Lautamatti V. and Uusitalo H. Silmän verenkierron kartoitus kolmoiskaikututkimuksella. *Duodecim* 112:1812-1817, 1996
83. Stenbäck, H. K.Krootila, A.Palkama and H.Uusitalo. Intraocular effects of ruthenium red in responses to compound 48/80 and topical formaldehyde in rabbit. *J. Ocul Pharmacol* 12: 85-93, 1996
84. Tuori A., Virtanen I., Aine E., Burgeson M. and Uusitalo H. The expression of tenascin and fibronectin in keratoconus scarred and normal human cornea. *Graefe's Arch Clin Exp Ophthalmol* 235: 222-229, 1997
85. Tuori A.J., Virtanen I., Aine E., Kalluri R., Miner J.H. and Uusitalo H.M.. The immunohistochemical composition of corneal basement membrane in keratoconus. *Curr Eye Res* 16:792-801, 1997
86. Uusitalo R.J. and Uusitalo H.M.. Long-term follow-up of pediatric epikeratophakia. *J Refract Surg* 13: 45-54, 1997
87. Pietilä J., Mäkinen P.J., Pajari S. and Uusitalo H.M.. Excimer Laser photorefractive keratectomy for hyperopia. *J Refract Surg* 13:504-510, 1997

88. Uusitalo R.J. and Uusitalo H.M. Traumatic aphakia treated with an iris prosthesis/intraocular lens or epikeratophakia. *J. Refract Surg* 13: 382-387, 1997
89. Pietilä J., Mäkinen P., Pajari S. and Uusitalo H. Photorefractive keratectomy for -1,25 to -25,00 diopters of myopia. *J Refract Surg* 14: 615-622, 1998
90. Tuori A., Virtanen I, Uusitalo R and Uusitalo H. Lectin binding in normal, scarred and keratoconus cornea. *Cornea* 17: 88-98, 1998
91. Heino P., Oksala O., Palkama A., Valo T., Vihavainen S., Koskinen A. and Uusitalo H. Binding of CGRP analogs and their effect on adenylate cyclase activity in porcine iris-ciliary body. *J Ocul Pharmacol Ther* 14: 543-554, 1998
92. Lamminen, H., Nevalainen J., Lampinen M. and Uusitalo H. Kokemuksia etälääketieteestä ja sen mahdollisuuksista. *Suomen Lääkäril* 53: 2087-2089, 1998
93. Tuori A., Uusitalo H.M, Burgeson R.E., Miner J.H., Sanes J.R. and Virtanen I. Laminin α_5 chain is expressed early and widely during the development of the anterior segment of rat eye. *Histochem J* 30: 375-381, 1998
94. Oksala O., Heino P., Uusitalo H. and Palkama A. Effect of intracameral and intravitreal injection of calcitonin gene-related peptide on the intraocular pressure and outflow facility of aqueous humor in the rabbit. *Exp Eye Res* 67: 411-415, 1998
95. Uusitalo H. and Salminen L. Uutta silmälääkkeiden systeemisistä haittavaikutuksista. *Duodecim* 114: 287-292, 1998
96. Lamminen H., Salminen L., Mäkelä J., Lampinen M. and Uusitalo H. Wireless picture transfer as a tool of primary health care. *J Telemed Telecare* 5:1-2, 1999
97. Lamminen H., Salminen L. and Uusitalo H. Teleconsultations between general practitioners and ophthalmologists in Finland. *J Telemed Telecare* 5: 118-121, 1999,
98. Pertovaara M., Korpela M., Uusitalo H., Pukander J., Miettinen A., Helin H. and Pasternack A.. Clinical follow-up study of 87 patients with sicca symptoms (dryness of eyes or mouth, or both). *Ann Rheum Dis* 58: 423-427, 1999
99. Pietilä J., Mäkinen P., Pajari S., Elo J. and Uusitalo H. LASIK-menetelmä silmän taittovirheiden hoidossa. *Duodecim* 115: 2455-2462, 1999
100. Tuori A., Uusitalo H., Thornell L.E., Yoshida T. and Virtanen I. The expression of tenascin-X in developing and adult rat and human eye. *Histochem J* 31: 245-252, 1999
101. Lamminen, H., Tuomi M-L., Lamminen J. and Uusitalo H. A feasibility study of realtime teledermatology in Finland. *Journal of Telemedicine and Telecare* 6: 102-107, 2000

102. Lamminen H., Lamminen J., Ruohonen K. and Uusitalo H.. A cost study of teleconsultation for primary-care ophthalmology and dermatology. *Journal of Telemedicine and Telecare* 7: 167-173, 2001.
103. Lamminen H., Ruohonen K. and Uusitalo H. Visual tests for measuring the picture quality of teleconsultations for medical purposes. *Comput Meth Progr Bio* 65: 95-110, 2001
104. Lamminen H., Niemi K., Niiranen S., Uusitalo H., Mattila H. and Kalli S. Terveyspalvelut Internetissä. *Suomen Lääkärilehti* 56: 3965-3968, 2001
105. Mannerström M., Zorn-Kruppa M., Diehl M., Engelke M., Toimela T., Mäenpää H., Huhtala A., Uusitalo H., Salminen L., Pappas P., Marselos M., Mäntylä M., Mäntylä E. and Tähti H. Evaluation of the cytotoxicity of selected systemic drugs and intravitreally dosed drugs in the cultures of human retinal pigment epithelial cell line and of pig primary pigment epithelial cells. *Toxicol in Vitro* 16: 193-200, 2002
106. Pietilä J., Mäkinen P. and Uusitalo H. Repeated photorefractive keratectomy for undercorrection and regression after photorefractive keratectomy. *J Refract Surg* 18: 155-161, 2002
107. Huhtala A., Mannerström M., Alajuuma P., Nurmi S., Toimela T., Tähti H., Salminen L. and Uusitalo H. Comparison of an immortalized human corneal epithelial cell line and rabbit corneal epithelial cell culture in cytotoxicity testing. *J Ocul Pharmacol Ther* 18: 163-175, 2002
108. Huhtala A., Tähti H., Salminen L and Uusitalo H. Evaluation of adverse ocular effects of 5-fluorouracil by using human corneal epithelial cell cultures. *J Toxicol. Cut and Ocul Toxicol* 21: 283-292, 2002
109. Alajuuma P., Oksala O., Alaranta S., Palkama A. and Uusitalo H. Effect of simultaneous CGRP and PGF_{2α} on the outflow facility in the rabbit eye. *Ophthalmic Res* 34: 309-313, 2002
110. Huhtala A., Alajuuma P., Burgalassi S., Chetoni P., Diehl H., Engelke M., Marselos M., Monti D., Pappas P., Saettone F., Salminen L., Sotiropoulou M., Tähti H., Uusitalo H. and Zorn-Kruppa M. A collaborative evaluation of the cytotoxicity of two surfactants by using the human corneal epithelial cell line and WST-1 test. *J Ocul Pharmacol Ther* 19: 11-21, 2003
111. Niño J., Tahvanainen K., Uusitalo H., Turjanmaa V., Hutri-Kähönen N., Kaila T., Ropo A., Kuusela T. and Kähönen M. Cardiovascular effects of ophthalmic 0.5% timolol aqueous solution and 0.1% timolol hydrogel. *Clin Physiol Funct Imaging* 22: 271-278, 2002
112. Tuulonen A, Airaksinen PJ, Erola E, Forsman E, Friberg K, Kaila M, Klemetti A, Makela M, Oskala P, Puska P, Suoranta L, Teir H, Uusitalo H, Vainio-Jylha E, Vuori ML The Finnish evidence-based guideline for open-angle glaucoma. *Acta Ophthalmol Scand.*, 81: 3-18, 2003

113. Lamminen H, Voipio V, Ruohonen K, Uusitalo H. Telemedicine in ophthalmology. *Acta Ophthalmol Scand*. 81:105-109, 2003
114. Suominen S., Pietilä J., Mäkinen P. and Uusitalo H. A new index to measure the accuracy of refractive operations. *Acta Ophthalmol Scand* 81: 336-342, 2003
115. Huhtala A., Nurmi S.K., Tähti H., Salminen L., Alajuuma P., Rantala I., Helin H. and Uusitalo H. The immunohistochemical characterization of an SV40-immortalized human corneal epithelial cell line. *Altern Lab Anim* 31:409-417, 2003
116. Alajuuma P, Oksala O and Uusitalo H Amylin competes for binding sites of CGRP in the chamber angle and uvea of monkey, cat and pig eye. *J Ocul Pharmacol Ther* 19: 555-567, 2003
117. Pietilä J, Mäkinen P, Pajari T, Suominen S, Keski-Nisula J, Sipilä K, Huhtala A and Uusitalo H. A 8-year follow-up study of photorefractive keratectomy for myopia. *J Refract Surg* 20: 110-115, 2004
118. Uusitalo H. Ophthalmological applications for biomaterials. *Duodecim* 120: 2015-9, 2004
119. Pietilä J, Mäkinen P, Suominen S, Huhtala A and Uusitalo H. Corneal flap measurements in laser in situ keratomileusis using the Moria M2 automated microkeratome *J Refract Surg* 21: 377-85, 2005
120. Uusitalo H, Niño J, Tahvanainen K, Turjanmaa V, Ropo A, Tuominen J and Kähönen M. Efficacy and systemic side effects of topical 0.5% timolol aqueous solution and 0.1% timolol hydrogel. *Acta Ophthalmol Scand* 83: 723-728, 2005
121. Nieminen T, Uusitalo H, Maenpää J, Turjanmaa V, Rane A, Lundgren S, Ropo A, Rontu R, Lehtimäki T, Kahonen M. Polymorphisms of genes CYP2D6, ADRB1 and GNAS1 in pharmacokinetics and systemic effects of ophthalmic timolol. A pilot study. *Eur J Clin Pharmacol*. 61:811-819, 2005
122. Kaarniranta K, Ryhänen T, Karjalainen HM, Lammi MJ, Suuronen T, Huhtala A, Kontkanen M, Teräsvirta M, Uusitalo H, Salminen A. Geldanamycin increases 4-Hydroxynonenal (HNE) -induced cell death in human retinal pigment epithelial cells. *Neurosci Lett* 382: 185-90, 2005
123. Nieminen T, Uusitalo H, Turjanmaa V, Bjärnhjäll G, Hedenström H, Mäenpää J, Ropo A, Heikkilä P and Kähönen M. Association between low plasma levels of ophthalmic timolol and haemodynamics in glaucoma patients. *Eur J Clin Pharmacol* 61: 369-74, 2005
124. Kaarniranta K, Ryhänen T, Sironen RK, Suuronen T, Elo MA, Karjalainen HM, Lammi MJ, Teräsvirta M, Uusitalo H, Salminen A. Geldanamycin activates Hsp70 response and attenuates okadaic acid- induced cytotoxicity in human retinal pigment epithelial cells *Mol. Brain Res* 137: 126-31, 2005

125. M Pertovaara, Raitala A., Uusitalo H., Pukander J., Helin H, Oja S.S. and Hurme M. Mechanisms dependent on tryptophan catabolism regulate immune responses in primary Sjögren's syndrome. *Clin Exp Immunol* 142: 155- 61, 2005.
126. Kaarniranta K, Ihanamaki T, Sahlman J, Pulkkinen H, Uusitalo H, Arita M, Tammi R, Lammi MJ, Helminen HJ. A mouse model for Stickler's syndrome: ocular phenotype of mice carrying a targeted heterozygous inactivation of type II (pro) collagen gene (Col2a1). *Exp Eye Res.* Aug;83(2):297-303, 2006
127. Uusitalo H, Kahonen M, Ropo A, Maenpaa J, Bjarnhall G, Hedenstrom H, Turjanmaa V. Improved systemic safety and risk-benefit ratio of topical 0.1% timolol hydrogel compared with 0.5% timolol aqueous solution in the treatment of glaucoma. *Graefes Arch Clin Exp Ophthalmol.* Nov;244(11):1491-6, 2006
128. Pietila J, Makinen P, Suominen S, Huhtala A, Uusitalo H. Bilateral comparison of corneal flap dimensions with the Moria M2 reusable head and single use head microkeratomes. *J Refract Surg.* Apr;22(4):354-7, 2006
129. Puustjarvi T, Terasvirta M, Nurmenniemi P, Lokkila J, Uusitalo H. Penetration of topically applied levofloxacin 0.5% and ofloxacin 0.3% into the vitreous of the non-inflamed human eye. *Graefes Arch Clin Exp Ophthalmol.* Dec;244(12):1633-7, 2006
130. Hemminki V, Kahonen M, Tuomisto MT, Turjanmaa V, Uusitalo H. Determination of retinal blood vessel diameters and arteriovenous ratios in systemic hypertension: comparison of different calculation formulae. *Graefes Arch Clin Exp Ophthalmol.* Jan;245(1):8-17, 2007
131. Kinnunen K, Korpisalo P, Rissanen TT, Heikura T, Viita H, Uusitalo H, Yla-Herttuala S. Overexpression of VEGF-A induces neovascularization and increased vascular leakage in rabbit eye after intravitreal adenoviral gene transfer. *Acta Physiol (Oxf).* Aug;187(4):447-57, 2006
132. Rekonen P, Kannisto T, Puustjarvi T, Terasvirta M, Uusitalo H. Deep sclerectomy for the treatment of exfoliation and primary open-angle glaucoma. *Acta Ophthalmol Scand.* Aug;84(4):507-11, 2006
133. Blomster H, Puustjarvi T, Kontkanen M, Valtonen P, Terasvirta M, Uusitalo H. Asymmetric dimethylarginine is not elevated in exfoliation syndrome but symmetric dimethylarginine is related to exfoliative glaucoma. *Graefes Arch Clin Exp Ophthalmol.* Feb;245(2):204-9, 2007
134. Ronkko S, Rekonen P, Kaarniranta K, Puustjarvi T, Terasvirta M, Uusitalo H. Matrix metalloproteinases and their inhibitors in the chamber angle of normal eyes and patients with primary open-angle glaucoma and exfoliation glaucoma. *Graefes Arch Clin Exp Ophthalmol.* May;245(5):697-704, 2007

135. Simunaniemi T, Tuppurainen K, Uusitalo H. Nivelreumapotilaat ongelmaryhmä sarveiskalvon siirroissa - Kuopion yliopistollisen sairaalan tulokset 10 vuodelta *Duodecim*;122(12):1447-52, 2006
136. Kalesnykas G, Uusitalo H. Comparison of simultaneous readings of intraocular pressure in rabbits using Perkins handheld, Tono-Pen XL, and TonoVet tonometers. *Graefes Arch Clin Exp Ophthalmol*. May;245(5):761-2, 2007
137. Kaarniranta K, Holopainen JM, Karvonen MK, Koulu M, Kallio J, Pesonen U, Terasvirta M, Uusitalo H, Immonen I. Leucine 7-proline 7 polymorphism in the signal peptide of neuropeptide Y is not a risk factor for exudative age-related macular degeneration. *Acta Ophthalmol Scand*. Mar;85(2):188-91, 2007
138. Leppala J, Kaarniranta K, Uusitalo H, Kontkanen M. Imiquimod in the treatment of eyelid basal cell carcinoma. *Acta Ophthalmol Scand*. Aug;85(5):566-8, 2007
139. Ronkko S, Rekonen P, Kaarniranta K, Puustjarvi T, Terasvirta M, Uusitalo H. Phospholipase A2 in chamber angle of normal eyes and patients with primary open angle glaucoma and exfoliation glaucoma. *Mol Vis*. 26;13:408-17, 2007
140. Nieminen T, Lehtimäki T, Mäenpää J, Ropo A, Uusitalo H, Kähönen M. Ophthalmic timolol: plasma concentration and systemic cardiopulmonary effects. *Scand J Clin Lab Invest*, 13: 408-17, 2007
141. Tuulonen A, Forsman E, Airaksinen PJ, Friberg K, Harju M, Hägg P, Kari O, Kontiola A, Määttä M, Näpänkangas U, Puska P, Savolainen A, Suoranta L, Uusitalo H, Vaahtoranta-Lehtonen H, Vesti E, Vuori ML. *Duodecim*. 2007;123(13):1609-10.
142. Huhtala A, Pietila J, Makinen P, Suominen S, Seppanen M, Uusitalo H. Corneal flap thickness with the Moria M2 single-use head 90 microkeratome. *Acta Ophthalmol Scand*. Jun;85(4):401-6, 2007
143. Huhtala A, Pohjonen T, Salminen L, Salminen A, Kaarniranta K, Uusitalo H. In vitro biocompatibility of degradable biopolymers in cell line cultures from various ocular tissues: extraction studies. *J Mater Sci Mater Med*. 2008 Feb;19(2):645-9. Epub 2007 Jul 10.
144. Vehanen K, Hornof M, Urtti A, Uusitalo H. Peribulbar poloxamer for ocular drug delivery. *Acta Ophthalmol Scand*. 2008; 86(1):91-6.
145. Kalesnykas G, Niitykoski M, Rantala J, Miettinen R, Salminen A, Kaarniranta K and Uusitalo H. The expression of heat shock protein 27 in retinal ganglion and glial cells in a rat glaucoma model. *Neuroscience* 150: 692, 2007
146. Hemminki V, Laakso J, Kahonen M, Turjanmaa V, Uusitalo H, Lehtimäki T, Ruokonen I, Laaksonen R, Huhtala H, Päivä H. Plasma asymmetric dimethylarginine and retinal vessel diameters in middle-aged men. *Metabolism* 2007 Oct; 56(10):1305-10.

147. Tuulonen A, Forsman E, Airaksinen PJ, Friberg K, Harju M, Hägg P, Kari O, Kontiola A, Määttä M, Näpänkangas U, Puska P, Savolainen A, Suoranta L, Uusitalo H, Vaahtoranta-Lehtonen H, Vesti E, Vuori ML. *Glaucoma Current Care Duodecim*. 2007;123(13):1609-10.
148. Helin M, Rönkkö S, Puustjärvi T, Teräsvirta M, Uusitalo H. Phospholipases A(2) in normal human conjunctiva and from patients with primary open-angle glaucoma and exfoliation glaucoma. *Graefes Arch Clin Exp Ophthalmol*. 2008; 246(5):739-46.
149. Kauppi, T., Kalesnykiene, V., Kamarainen, J.-K., Lensu, L., Sorri, I., Raninen, A., Voutilainen, R., Pietilä, J., Kälviäinen, H., Uusitalo, H., DIARETDB1 diabetic retinopathy database and evaluation protocol, In Proc. of the Medical Image Understanding and Analysis (MIUA2007) (Aberystwyth, UK, 2007), pp. 61-65.
150. Kauppi, T., Kalesnykiene, V., Kamarainen, J.-K., Lensu, L., Sorri, I., Raninen, A., Voutilainen, R., Uusitalo, H., Kälviäinen, H., Pietilä, J., The DIARETDB1 diabetic retinopathy database and evaluation protocol, In Proc. of the British Machine Vision Conference (BMVC2007) (Warwick, UK, 2007), vol. 1, pp. 252-261.
151. Rönkkö S, Rekonen P, Sihvola R, Kaarniranta K, Puustjärvi T, Teräsvirta M, Uusitalo H. Histopathology of the three implanted degradable biopolymers in rabbit eye. *Journal of Biomedical Materials Research: Part A* 2009 Mar 1;88(3):717-24.
152. Uusitalo H, Kaarniranta K, Ropo A. Pharmacokinetics, efficacy and safety profiles of preserved and preservative-free tafluprost in healthy volunteers. *Acta Ophthalmol Suppl (Oxf)*. 2008;242:7-13.
153. Ryhänen T, Hyttinen JM, Kopitz J, Rilla K, Kuusisto E, Mannermaa E, Viiri J, Holmberg CI, Immonen I, Meri S, Parkkinen J, Eskelinen EL, Uusitalo H, Salminen A, Kaarniranta K. Crosstalk between Hsp70 molecular chaperone, lysosomes and proteasomes in autophagy-mediated proteolysis in human retinal pigment epithelial cells. *J Cell Mol Med*. 2008 Nov 6. [Epub ahead of print] 2009; 13(9B):3616-31
154. Kalesnykiene V, Sorri I, Voutilainen R, Uusitupa M, Niskanen L, Uusitalo H. The effect of glycaemic control on the quantitative characteristics of retinopathy lesions in patients with type 2 diabetes mellitus: 10-year follow-up study. *Graefes Arch Clin Exp Ophthalmol*. 2009, 247: 335-41.
155. Kalesnykas G, Tuulos T, Uusitalo H, Jolkkonen J. Neurodegeneration and cellular stress in the retina and optic nerve in rat cerebral ischemia and hypoperfusion models. *Neuroscience*. 2008 26;155(3):937-47.
156. Palosaari T, Mäkinen E, Kataja M, Räsänen P, Kaila M, Uusitalo H. Silmänpohjan nesteinen ikärappeuma: mitä tiedämme lasiaisen sisäisestä angiogeneesin estosta? *S.Lääkärilehti* 2008, 63: 2229 – 2236.

157. Sorvali W, Tuppurainen K, Raninen A, Sorri I, Uusitalo H. Amnionkalvon siirto silmän pintasairauksien hoidossa. S. Lääkärilehti 2008, 63: 2611-1615.
158. Pitkänen, A, Pietilä, J, Mäkinen, P, Huhtala, A, Uusitalo, H. Comparison of laser in situ keratomileusis outcomes with the Moria M2 head 90 and 130 following previous photorefractive Keratectomy or laser *in situ* keratomileusis, Acta Ophthalmologica, 2009 e-pub; 2010; 88(3):352-7
159. Pietilä, J, Huhtala, A, Mäkinen, P, Seppänen, M, Jääskeläinen, M, and Uusitalo, H. Corneal flap thickness with the Moria M2™ microkeratome and Med-Logics calibrated LASIK blades, Acta Ophthalmologica, 2009 e-pub . 2010; 88(3):352-7
160. Kinnunen K, Kalesnykas G, Mähönen AJ, Laidinen S, Holma L, Heikura T, Airenne K, Uusitalo H, Ylä-Herttua. Baculovirus is an efficient vector for the transduction of the eye. Comparison of Baculovirus- and Adenovirus-mediated intravitreal VEGF-D gene transfer in rabbit eye." J Gene Med 2009, 11: 382-9..
161. Kinnunen K, Puustjärvi T, Teräsvirta M, Nurmenniemi P, Heikura T, Laidinen S, Paavonen T, Uusitalo H, Ylä-Herttua S. Differences between type 1 and type 2 diabetics in retinal neovascular tissue and vitreous humour. Br J Ophthalmol. 2009, 93: 1109-15.
162. Huhtala A, Ronkko S, Terasvirta M, Puustjarvi T, Sihvola R, Vehanen K, Laukkanen A, Anttila J, Urtti A, Pohjonen T, Uusitalo H. The effects of 5-fluorouracil on ocular tissues in vitro and in vivo after controlled release from a multifunctional implant. Invest Ophthalmol Vis Sci. 2009, 50: 2216-23.
163. Ollikainen M, Puustjärvi T, Rekonen P, Uusitalo H, Teräsvirta M. Mitomycin-C-augmented deep sclerectomy in patients with primary open-angle glaucoma and exfoliation glaucoma: a 1-year prospective study. Acta Ophthalmol. 2009 Apr 23. [Epub ahead of print] Acta Ophthalmol. 2010 Feb;88(1):20-6.
164. Smirnov G, Pirinen R, Tuomilehto H, Seppä J, Teräsvirta M, Uusitalo H, Nuutinen J, Kaarniranta K. Strong expression of HSP47 in metaplastic nasal mucosa may predict a poor outcome after primary endoscopic dacryocystorhinostomy: a prospective study. Acta Ophthalmol. 2009 Sep 24. [Epub ahead of print.
165. Pertovaara M, Jylhävä J, Uusitalo H, Pukander J, Helin H, Hurme M. Serum amyloid A and C-reactive protein concentrations are differently associated with markers of autoimmunity in patients with primary Sjögren's syndrome. J Rheumatol. 2009 Nov;36(11):2487-90. Epub 2009 Oct 15.
166. Friström B, Uusitalo H. A randomized, 36-month, post-marketing efficacy and tolerability study in Sweden and Finland of latanoprost versus non-prostaglandin therapy in patients with glaucoma or ocular hypertension. Acta Ophthalmol. 2009 Nov 7. [Epub ahead of print] 2010 Feb;88(1):37-43

167. Ollikainen ML, Puustjärvi TJ, Rekonen PK, Uusitalo HM, Teräsvirta ME. Mitomycin C-augmented deep sclerectomy in primary open-angle glaucoma and exfoliation glaucoma: a three-year prospective study. *Acta Ophthalmol.* 2009 Nov 19. [Epub ahead of print]. 2011 Sep;89(6):548-55
168. Traverso CE, Ropo A, Papadia M, Uusitalo H. A phase II study on the duration and stability of the intraocular pressure-lowering effect and tolerability of Tafluprost compared with latanoprost. *J Ocul Pharmacol Ther.* 2010 Feb;26(1):97-104
169. Uusitalo H, Pillunat LE, Ropo A; Phase III Study Investigators. Efficacy and safety of tafluprost 0.0015% versus latanoprost 0.005% eye drops in open-angle glaucoma and ocular hypertension: 24-month results of a randomized, double-masked phase III study. *Acta Ophthalmol.* 2010 Feb;88(1):12-9.
170. Helin M, Rönkkö S, Puustjärvi T, Teräsvirta M, Ollikainen M, Uusitalo H. Conjunctival Inflammatory Cells and Their Predictive Role For Deep Sclerectomy in Primary Open-angle Glaucoma and Exfoliation Glaucoma. *J. Glaucoma* 2010 Jun 23. [Epub ahead of print] *J Glaucoma.* 2011 Mar;20 (3):172-8.
171. Uusitalo H, Chen E, Norbert Pfeiffer N, Brignole-Baudouin F, Kaarniranta K, Leino M, Puska P, Palmgren E, Hamacher T, Hofmann G, Petzold G, Richter U, Riedel T, Winter M, Ropo A. Switching from a preserved to a preservative-free prostaglandin preparation in topical glaucoma medication. *Acta Ophthalmol.* 2010; 88(3):329-36.
172. Pietilä J, Huhtala A, Jääskeläinen M, Jylli J, Mäkinen P, Uusitalo H. LASIK flap creation with the Ziemer femtosecond laser in 787 consecutive eyes. *J Refract Surg.* 2010, 26(1):7-16.
173. Niittykoski M, Kalesnykas G, Larsson K, Kaarniranta K, Akerman K, Uusitalo H. Altered calcium signalling in an experimental model of glaucoma. *Invest Ophthalmol Vis Sci.* 2010 Jun 30. [Epub ahead of print]
174. Paimela T, Hyttinen JM, Viiri J, Ryhänen T, Karvonen MK, Unkila M, Uusitalo H, Salminen A, Kaarniranta K. Influence of selective estrogen receptor modulators on interleukin-6 expression in human retinal pigment epithelial cells (ARPE-19). *Eur J Pharmacol.* 2010, 25;640 (1-3):219-25.
175. Rönkkö S, Kaarniranta K, Kalesnykas G, Uusitalo H. Biocompatibility of different poly(lactide-coglycolide) polymers implanted into the subconjunctival space in rats.. *Ophthalmic Res.* 2011;46(2):55-65.
176. Vaajasaari H, Ilmarinen T, Juuti-Uusitalo K, Rajala K, Onnela N, Narkilahti S, Suuronen R, Hyttinen J, Uusitalo H, Skottman H. Toward the defined and xeno-free differentiation of functional human pluripotent stem cell-derived retinal pigment epithelial cells. *Mol Vis.* 2011 Feb 22;17:558-75.

177. Ryhänen T, Viiri J, Hyttinen JM, Uusitalo H, Salminen A, Kaarniranta K. Influence of Hsp90 and HDAC inhibition and tubulin acetylation on perinuclear protein aggregation in human retinal pigment epithelial cells. *J Biomed Biotechnol.* 2011; 2011:798052: 1-8. Epub 2010 Oct 24.
178. Fält P, Hiltunen J, Hauta-Kasari M, Sorri I, Kalesnykiene V, Pietilä J, Uusitalo H. Spectral imaging of the human retina and computationally determined optimal illuminants for diabetic retinopathy lesion detection. *J Imaging Sci. Technol.* 2011, 030509-1-10.
179. Kauppi T, Kamarainen J.K, Lensu L, Kälviäinen H, Uusitalo H. (2011). Detection and Decision-Support Diagnosis of Diabetic Retinopathy Using Machine Vision. *Pattern Recognition and Image Analysis* 2011, 21 (2): 140-143.
180. Subrizi A, Hiidenmaa H, Ilmarinen T, Nymark S, Dubruel P, Uusitalo H, Yliperttula M, Urtti A, Skottman H. Generation of hESC-derived retinal pigment epithelium on biopolymer coated polyimide membranes. *Biomaterials* 2012, 33 (32): 8047-8054.
181. Pietilä J, Huhtala A, Mäkinen P, Uusitalo H. LASIK operations with the Ziemer FEMTO LDV femtosecond laser flap creation after previous photorefractive keratometry or laser-assisted sub-epithelial keratomileusis. *Acta Ophthalmologica* 2012, 90 (8): e662-663.
182. Pellinen P, Huhtala A, Tolonen A, Lokkila J, Mäenpää J, Uusitalo H. The cytotoxic effects of preserved and preservative-free prostaglandin analogs on human corneal and conjunctival epithelium. In vitro and the distribution of benzalkonium chloride homologs in ocular surface tissues in vivo. *Curr Eye Res* 2012 (2), 145-154.
183. Pertovaara M, Bootorabi F, Kuuslahti M, Uusitalo H, Pukander J, Helin H, Parkkila S. Carbonic anhydrase autoantibodies and sicca symptoms in primary Sjögren's syndrome. *Clin Exp Rheumatol.* 2012 May-Jun; 30(3):456-7. Epub 2012 Jun 26.
184. Väättäin S, Tuomilehto H, Saramies J, Tuomilehto J, Uusitalo H, Hussi E, Keinänen-Kiukaanniemi S, Martikainen J. The health-related quality-of-life impact of nocturnal awakenings in the middle-aged and older Finnish population. *Quality of Life Research* 2013,22 (10): 2737-48.
185. Pietilä J, Huhtala A, Mäkinen P, Uusitalo H. Laser in situ keratomileusis enhancements with the Ziemer FEMTO LDV femtosecond laser following previous LASIK treatments. *Graefes Archive for clinical experimental ophthalmology* 2013, 251 (2): 597-602.
186. Kinnunen K, Heinonen SE, Kalesnykas G, Laidinen S, Uusitalo-Järvinen H, Uusitalo H, Ylä-Herttuala S. LDLR^{-/-}ApoB100/100 mice with insulin-like growth factor II overexpression reveal a novel form of retinopathy with photoreceptor atrophy and altered morphology of the retina. *Molecular vision* 2013, 19: 1723-1733.
187. Kauppi T, Kämäräinen J-K, Lensu L, Kalesnykiene V, Sorri I, Uusitalo H, Kälviäinen H. Constructing benchmark databases and protocols for medical image analysis: diabetic retinopathy. *Computational and Mathematical Methods in Medicine* 2013, 368514.

188. Juuti-Uusitalo K, Delporte C, Grégoire F, Perret J, Huhtala H, Savolainen V, Nymark S, Hyttinen J, Uusitalo H, Willermain F, Skottman H. Aquaporin Expression and Function in Human Pluripotent Stem Cell–Derived Retinal Pigmented Epithelial Cells. *Investigative Ophthalmology & Visual Science* 2013, 54 (5): 3510-3519.
189. Ilmarinen T, Laine J, Juuti-Uusitalo K, Numminen J, Seppänen-Suuronen R, Uusitalo H, Skottman H. Towards a defined, serum- and feeder-free culture of stratified human oral mucosal epithelium for ocular surface reconstruction. *Acta Ophthalmologica* 2013, 91 (8): 744-750.
190. Sorkio A, Hongisto H, Kaarniranta K, Uusitalo H, Juuti-Uusitalo K, Skottman H. Structure and barrier properties of human embryonic stem cell derived retinal pigment epithelial cells are affected by extracellular matrix protein coating. *Tissue engineering Part A*, 2014, 20 (3-4), 622-634.
191. Immunohistochemical analysis of extracellular matrix bleb capsules of functioning and non-functioning glaucoma drainage implants. Välimäki J, Uusitalo H. *Acta Ophthalmol.* 2013 Sep 11. doi: 10.1111/aos.12267. [Epub ahead of print]
192. Pietilä J, Huhtala A, Mäkinen P, Salmenhaara K, Uusitalo H Laser-assisted in situ keratomileusis flap creation with the three-dimensional, transportable Ziemer FEMTO LDV model Z6 I femtosecond laser.. *Acta Ophthalmol.* 2013 Dec 26. doi: 10.1111/aos.12333. [Epub ahead of print]
193. Pietilä J, Huhtala A, Mäkinen P, Uusitalo H. Flap characteristics, predictability, and safety of the Ziemer FEMTO LDV femtosecond laser with the disposable suction ring for LASIK. *Eye* 2014, 28 (1), 66-71.
194. Mikhailova A, Ilmarinen T, Uusitalo H, Skottman H. Small-molecule induction promotes corneal epithelial cell differentiation from human induced pluripotent stem cells. *Stem Cell Reports* 2014, 2 (2), 219-231.
195. Väättäin S, Keinänen-Kiukaanniemi S, Saramies J, Uusitalo H, Tuomilehto J, Martikainen J Quality of life along the diabetes continuum: a cross-sectional view of health-related quality of life and general health status in middle-aged and older Finns. *Qual Life Res.* 2014 Feb 8. [Epub ahead of print]
196. Fält P, Yamaguchi M, Murakami Y, Laaksonen L, Lensu L, Claridge E, Hauta-Kasari M and Uusitalo H. Multichannel Spectral Image Enhancement for Visualizing Diabetic Retinopathy Lesions. Accepted for publication in *Proceedings in Computer Science* 2014.
197. Vaajanen A, Puranen J, Kalesnykas G, Vapaatalo H and Uusitalo H. Neuroprotective Effects of Mas-receptor Ligands in an Experimental Rat Glaucoma. Accepted for publication in *Journal of Pharmacy and Pharmacology* 2014.

B Vertaisarvioimattomat tieteelliset artikkelit

1. Uveiitti: patogeneesi, mediaattorit ja niiden kliininen merkitys. "Paikallisen silmälääkinnän annosmuodot ja farmakokinetiikka" (Eds. L. Salminen and A. Urtti). Kuopion yliopiston täydennyskoulutuskeskuksen julkaisuja 6/84 ss. 195-222, 1984 (H. Uusitalo).
2. Silmälääkkeiden vaikutusmekanismeista. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 17-22. Vammalan kirjapaino, 1993. (H.Uusitalo)
3. Kyynelnestekorvikkeet. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 23-29. Vammalan kirjapaino, 1993. (H.Uusitalo)
4. Glukokortikoidit. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 41-49. Vammalan kirjapaino, 1993. (H.Uusitalo)
5. Prostaglandiini-inhibiittorit. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 51-57. Vammalan kirjapaino, 1993. (H.Uusitalo)
6. Silmänpainetaudin hoidossa käytettävät lääkkeet. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 67-78. Vammalan kirjapaino, 1993. (H.Uusitalo)
7. Uudet glaukoomalääkkeet. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 79-83. Vammalan kirjapaino, 1993. (A.Alm and H.Uusitalo)
8. Mydriaatit. "Lääkkeet silmätaudeissa" (Eds. L.Salminen and H.Uusitalo). pp 93-98. Vammalan kirjapaino, 1993. (H.Uusitalo)
9. Uusitalo H., Kähönen M., Ropo A. and Turjanmaa V. Once-a-day timolol gel offers improved safety profile. In Beyond IOP: New targets in glaucoma management, Ed Shlomo Melamed 2001
10. Kovakalvon sairaudet. Hannu Uusitalo. Silmätautioppi. Ed Matti Saari. Kandidaattikustannus Oy, 2011

C Tieteelliset kirjat

1. Lääkkeet silmätaudeissa (Drugs in Ophthalmology). Eds L.Salminen and H.Uusitalo. Vammalan Kirjapaino 1993.
2. Suomen Silmälääkäriyhdistyksen historia 1911-2011. Ed Pekka Kaarninen, Lotta Salminen, Elina Pitkäkangas, Hannu Uusitalo. Suomen Silmälääkäriyhdistys 2011.

D Ammattiyhteisölle suunnatut julkaisut

1. Silmän anatomia ja näköradat. "Työnäkeminen ja valaistus" (Eds. J. Kärnä and K.M. Saari). Tampereen yliopisto. Lääketieteellisen tiedekunnan julkaisuja no. 37 ss. 37-50, 1985 (H. Uusitalo).
2. Näön anatomia ja fysiologia. Näkeminen ja liikenne-symposium, 17.-18.10. 1988 (H. Uusitalo).
4. Sarveiskalvon sairaudet. Käytännön lääkäri 1/94: 27-33, 1994 (H.Uusitalo).
5. Punainen silmä. Tampereen lääkäripäivät. Luennot. s216, 1994. (H.Uusitalo).
6. Herpes simplex ja silmä: Miten yleislääkärin tulee toimia?. Lääketiede 96 s 225, 1996. (H.Uusitalo).
7. Glaukooma. XVII Tampereen lääkäripäivät. Luennot.ss 44-45, 1996. (H.Uusitalo).
8. Onko keroon katsominen vaarallista. MaTaPuPu 22/1996 (17.3.1996) (H.Uusitalo).
9. Prostaglandiinit - uusi lääkeryhmä glaukooman hoitoon. Pharmacia&Upjohn Now 5/1996. (H.Uusitalo).
10. Uusia lääkkeitä glaukooman hoitoon. Silmähoitaja 2/1996: 4-6. (H.Uusitalo)
11. PRK effective for moderate hyperopia but limited at higher levels. EuroTimes. Cataract & Refractive Surgery. 2/1:7, 1997. (P.Mäkinen, J.Pietilä and H.Uusitalo).
12. Silmän ruhjevamma. Koska erikoislääkärin konsultaatio on tarpeen. Lääkäripäivät 1997. Luentolyhennelmät s 353, 1997 (H.Uusitalo).
13. PRK: Myopia re-treatment effective for residual myopia. EuroTimes. Cataract & Refractive Surgery. 2/2:5, 1997 (J.Pietilä, P.Mäkinen and H.Uusitalo).
14. Uudet lääkkeet ja hoitomyöntyvyys glaukooman hoidossa. Silmähoitaja 3/1999: 6-7. (H.Uusitalo)
15. Glaukooman uudistuva lääkehoito. (The modern medical treatment of glaucoma) TABU 1/2001: s.6-8. (H.Uusitalo).
16. Voidaanko perusterveydenhuollon silmäkonsultaatioita järjestää telelääketieteen keinoin? Duodecim 115: 2480, 1999 (H.Lamminen, L.Salminen and H.Uusitalo).
17. Biomateriaalien silmäsovellutukset. (Ophthalmological Applications of Biomaterials) Duodecim 120: 2015-2019, 2004. (H Uusitalo).

18. Aurinko ja silmä (Eye and sunlight). Tampereen lääkäripäivät. Luennot, 2005 (2005).
19. Neuroprotektio silmäsairauksien hoidossa. (Neuroprotection in the treatment of retinal diseases). Silmähoitaja 1/2005: 405, 2005. (H Uusitalo).

E.Suurelle yleisölle suunnatut julkaisut joilla on yhteys hakijan tutkimustyöhön

1. Silmänpainetauti eli glaukooma. Kuriiri 7/ 13: 12-13, 1994 (H.Uusitalo).
2. Glaukooma eli viherkaihi on löydettävä ja hoidettava varhain! MaTaPuPu 82/1999 (14.11.1999). (H.Uusitalo).

H. Patentit ja keksintöilmoitukset

A foldable intraocular lens. 20085714PC

Fungal extracts and uses thereof. 2100169FI ja 2100169PC

I Audiovisuaaliset aineistot ja tieto- ja viestintätekniset ohjelmat

1. Glaukooma. Koulutusvideo lääkäreille. Glaucoma educational video for doctors. Med-Video. Medical Video Series: E 169, 1997.
2. Glaukooma potilasopetusohjelma. Glaucoma educational video for patients. Med-Video. Medical Series: E 171, 1998.
Tämän lisäksi oppikirjakappaleita, yleistajuisia katsauksia, lehtiartikkeleita, opetusvideoita ja abstrakteja.